

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.


Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	Shanghai JA Solar Technology Co., Ltd
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai
Country:	P. R. China	Country:	P. R. China
Contact:	Wang Yongbo	Contact:	Wang Yongbo
Phone:	+86-21-37181101	Phone:	+86-21-37181101
FAX:	+86-21-37181234	FAX:	+86-21-37181234
Email:	wangyb@jasolar.com	Email:	wangyb@jasolar.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>4001505</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>	
Standard(s):	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p>
	<p>Product: Crystalline Silicon Photovoltaic modules</p>
	<p>Brand Name: </p>
	<p>Models:</p> <p>JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM72S09- followed by 370, 375, 380, 385, 390, 395 or 400 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM72S09- followed by 375, 380 or 385 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM72S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM72S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12- followed by 365, 370, 375, 380 or 385 followed by /PR, JAM60S12- followed by 305, 310, 315 or 320 followed by /PR, JAM78S10- followed by 435, 440, 445, 450 or 455 followed by /MR, JAM6(K)-72-335/4BB/1500V, JAM60S17- followed by 320, 325, or 330 followed by /MR, JAM72S20- followed by 430, 435, 440, 445 , 450, 455, 460, 465 or 470 followed by /MR, JAM60S20- followed by 355, 360, 365, 370 , 375, 380, 385 or 390 followed by /MR, JAM72S30- followed by 530, 535, 540, 545 or 550 followed by /MR, JAM66S30- followed by 490, 495 or 500 followed by /MR, JAM68S11- followed by 355, 360 or 365 followed by /PR,</p>

JAM68S11- followed by 345, 350, 355, 360 or 365 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B)/1000V,
JAM78S30-followed by 575, 580, 585, 590, 595 or 600 followed by /GR,
JAM72S30-followed by 535, 540, 545 or 550 followed by /GR,
JAM66S30-followed by 490, 495, 500 or 505 followed by /GR,
JAM60S30-followed by 445, 450, 455 or 460 followed by /GR,
JAM54S30-followed by 400, 405, 410 or 415 followed by /GR,
JAM78S31-followed by 570, 575, 580, 585 or 590 followed by /GR,
JAM72S31-followed by 530, 535 or 540 followed by /GR,
JAM60S31-followed by 440, 445 or 450 followed by /GR,
JAM54S31-followed by 395, 400 or 405 followed by /GR.
JAM66S31-followed by 485, 490 or 495 followed by /GR,
JAM60S31-followed by 430, 435, 440, 445 or 450 followed by /GR/1000V,
JAM54S31-followed by 390, 395, 400 or 405 followed by /GR/1000V,
JAM54S30-followed by 400, 405 or 410 followed by /MR,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR,
JAM54S30-followed by 400, 405 or 410 followed by /MR/1000V,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR/1000V,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR/1000V.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.


Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	Hefei JA Solar Technology Co., Ltd
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	No. 999, Changning Road, Hi-tech Zone, Hefei City, 230088, Anhui Province
Country:	P. R. China	Country:	P. R. China
Contact:	Wang Yongbo	Contact:	Wang Zhi
Phone:	+86-21-37181101	Phone:	+86-0551-67190954
FAX:	+86-21-37181234	FAX:	+86-0551-5305533
Email:	wangyb@jasolar.com	Email:	wangzhi@jasolar.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>4005519</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>	
Standard(s):	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p>
	<p>Product: Crystalline Silicon Photovoltaic modules</p>
	<p>Brand Name: </p>
	<p>Models:</p> <p>JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM72S09- followed by 370, 375, 380, 385, 390, 395 or 400 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM72S09- followed by 375, 380 or 385 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM72S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM72S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12- followed by 365, 370, 375, 380 or 385 followed by /PR, JAM60S12- followed by 305, 310, 315 or 320 followed by /PR, JAM78S10- followed by 435, 440, 445, 450 or 455 followed by /MR, JAM6(K)-72-335/4BB/1500V, JAM60S17- followed by 320, 325, or 330 followed by /MR, JAM72S20- followed by 430, 435, 440, 445 , 450, 455, 460, 465 or 470 followed by /MR, JAM60S20- followed by 355, 360, 365, 370 , 375, 380, 385 or 390 followed by /MR, JAM72S30- followed by 530, 535, 540, 545 or 550 followed by /MR, JAM66S30- followed by 490, 495 or 500 followed by /MR, JAM68S11- followed by 355, 360 or 365 followed by /PR,</p>

JAM68S11- followed by 345, 350, 355, 360 or 365 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B)/1000V,
JAM78S30-followed by 575, 580, 585, 590, 595 or 600 followed by /GR,
JAM72S30-followed by 535, 540, 545 or 550 followed by /GR,
JAM66S30-followed by 490, 495, 500 or 505 followed by /GR,
JAM60S30-followed by 445, 450, 455 or 460 followed by /GR,
JAM54S30-followed by 400, 405, 410 or 415 followed by /GR,
JAM78S31-followed by 570, 575, 580, 585 or 590 followed by /GR,
JAM72S31-followed by 530, 535 or 540 followed by /GR,
JAM60S31-followed by 440, 445 or 450 followed by /GR,
JAM54S31-followed by 395, 400 or 405 followed by /GR.
JAM66S31-followed by 485, 490 or 495 followed by /GR,
JAM60S31-followed by 430, 435, 440, 445 or 450 followed by /GR/1000V,
JAM54S31-followed by 390, 395, 400 or 405 followed by /GR/1000V,
JAM54S30-followed by 400, 405 or 410 followed by /MR,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR,
JAM54S30-followed by 400, 405 or 410 followed by /MR/1000V,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR/1000V,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR/1000V.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.


Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	VINA SOLAR TECHNOLOGY CO., LTD
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	FACTORY E12, LOT CN-03, Van Trung Industrial park, Bac Giang
Country:	P. R. China	Country:	Vietnam
Contact:	Wang Yongbo	Contact:	Li Weimin
Phone:	+86-21-37181101	Phone:	+0086-18662191566
FAX:	+86-21-37181234	FAX:	-
Email:	wangyb@jasolar.com	Email:	weimin.li@vinasolar.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5001344</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>	
Standard(s):	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p>
	<p>Product: Crystalline Silicon Photovoltaic modules</p>
	<p>Brand Name: </p>
	<p>Models:</p> <p>JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM72S09- followed by 370, 375, 380, 385, 390, 395 or 400 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM72S09- followed by 375, 380 or 385 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM72S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM72S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12- followed by 365, 370, 375, 380 or 385 followed by /PR, JAM60S12- followed by 305, 310, 315 or 320 followed by /PR, JAM78S10- followed by 435, 440, 445, 450 or 455 followed by /MR, JAM6(K)-72-335/4BB/1500V, JAM60S17- followed by 320, 325, or 330 followed by /MR, JAM72S20- followed by 430, 435, 440, 445 , 450, 455, 460, 465 or 470 followed by /MR, JAM60S20- followed by 355, 360, 365, 370 , 375, 380, 385 or 390 followed by /MR, JAM72S30- followed by 530, 535, 540, 545 or 550 followed by /MR, JAM66S30- followed by 490, 495 or 500 followed by /MR, JAM68S11- followed by 355, 360 or 365 followed by /PR,</p>

JAM68S11- followed by 345, 350, 355, 360 or 365 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B)/1000V,
JAM78S30-followed by 575, 580, 585, 590, 595 or 600 followed by /GR,
JAM72S30-followed by 535, 540, 545 or 550 followed by /GR,
JAM66S30-followed by 490, 495, 500 or 505 followed by /GR,
JAM60S30-followed by 445, 450, 455 or 460 followed by /GR,
JAM54S30-followed by 400, 405, 410 or 415 followed by /GR,
JAM78S31-followed by 570, 575, 580, 585 or 590 followed by /GR,
JAM72S31-followed by 530, 535 or 540 followed by /GR,
JAM60S31-followed by 440, 445 or 450 followed by /GR,
JAM54S31-followed by 395, 400 or 405 followed by /GR.
JAM66S31-followed by 485, 490 or 495 followed by /GR,
JAM60S31-followed by 430, 435, 440, 445 or 450 followed by /GR/1000V,
JAM54S31-followed by 390, 395, 400 or 405 followed by /GR/1000V,
JAM54S30-followed by 400, 405 or 410 followed by /MR,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR,
JAM54S30-followed by 400, 405 or 410 followed by /MR/1000V,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR/1000V,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR/1000V.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.


Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	HT SOLAR VIETNAM LIMITED COMPANY
	No. 118, Lane 3111, West Huancheng		F3 lot, factory F3-1, F3-2, Trang Due
Address:	Road, Fengxian District, 201401 Shanghai	Address:	Industrial Park, An Duong District, a part of Dinh Vu - Cat Hai Economic Zone, An Duong Haiphong, 180000, Ho Chi Minh City
Country:	P. R. China	Country:	Vietnam
Contact:	Wang Yongbo	Contact:	ZHANG JIE
Phone:	+86-21-37181101	Phone:	+84 1277211699
FAX:	+86-21-37181234	FAX:	-
Email:	wangyb@jasolar.com	Email:	zhangjie@htsolargroup.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5008860</u>	Authorized by:	 _____
			for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>	
Standard(s):	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p>
	<p>Product: Crystalline Silicon Photovoltaic modules</p>
	<p>Brand Name: </p>
	<p>Models:</p> <p>JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM72S09- followed by 370, 375, 380, 385, 390, 395 or 400 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM72S09- followed by 375, 380 or 385 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM72S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM72S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12- followed by 365, 370, 375, 380 or 385 followed by /PR, JAM60S12- followed by 305, 310, 315 or 320 followed by /PR, JAM78S10- followed by 435, 440, 445, 450 or 455 followed by /MR, JAM6(K)-72-335/4BB/1500V, JAM60S17- followed by 320, 325, or 330 followed by /MR, JAM72S20- followed by 430, 435, 440, 445 , 450, 455, 460, 465 or 470 followed by /MR, JAM60S20- followed by 355, 360, 365, 370 , 375, 380, 385 or 390 followed by /MR, JAM72S30- followed by 530, 535, 540, 545 or 550 followed by /MR, JAM66S30- followed by 490, 495 or 500 followed by /MR, JAM68S11- followed by 355, 360 or 365 followed by /PR,</p>

JAM68S11- followed by 345, 350, 355, 360 or 365 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B)/1000V,
JAM78S30-followed by 575, 580, 585, 590, 595 or 600 followed by /GR,
JAM72S30-followed by 535, 540, 545 or 550 followed by /GR,
JAM66S30-followed by 490, 495, 500 or 505 followed by /GR,
JAM60S30-followed by 445, 450, 455 or 460 followed by /GR,
JAM54S30-followed by 400, 405, 410 or 415 followed by /GR,
JAM78S31-followed by 570, 575, 580, 585 or 590 followed by /GR,
JAM72S31-followed by 530, 535 or 540 followed by /GR,
JAM60S31-followed by 440, 445 or 450 followed by /GR,
JAM54S31-followed by 395, 400 or 405 followed by /GR.
JAM66S31-followed by 485, 490 or 495 followed by /GR,
JAM60S31-followed by 430, 435, 440, 445 or 450 followed by /GR/1000V,
JAM54S31-followed by 390, 395, 400 or 405 followed by /GR/1000V,
JAM54S30-followed by 400, 405 or 410 followed by /MR,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR,
JAM54S30-followed by 400, 405 or 410 followed by /MR/1000V,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR/1000V,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR/1000V.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.


Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	JA Solar (Xingtai) Co., Ltd.
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	No. 1688, Chang An Road, Xingtai Economic Development Area, Xingtai City, Hebei Province 054000
Country:	P. R. China	Country:	P. R. China
Contact:	Wang Yongbo	Contact:	Wang Shizhao
Phone:	+86-21-37181101	Phone:	+86 0319 3929895
FAX:	+86-21-37181234	FAX:	-
Email:	wangyb@jasolar.com	Email:	wangsz@jasolar.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5016163</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.


Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>	
Standard(s):	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p>
	<p>Product: Crystalline Silicon Photovoltaic modules</p>
	<p>Brand Name: </p>
	<p>Models:</p> <p>JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM72S09- followed by 370, 375, 380, 385, 390, 395 or 400 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM72S09- followed by 375, 380 or 385 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM72S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM72S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12- followed by 365, 370, 375, 380 or 385 followed by /PR, JAM60S12- followed by 305, 310, 315 or 320 followed by /PR, JAM78S10- followed by 435, 440, 445, 450 or 455 followed by /MR, JAM6(K)-72-335/4BB/1500V, JAM60S17- followed by 320, 325, or 330 followed by /MR, JAM72S20- followed by 430, 435, 440, 445 , 450, 455, 460, 465 or 470 followed by /MR, JAM60S20- followed by 355, 360, 365, 370 , 375, 380, 385 or 390 followed by /MR, JAM72S30- followed by 530, 535, 540, 545 or 550 followed by /MR, JAM66S30- followed by 490, 495 or 500 followed by /MR, JAM68S11- followed by 355, 360 or 365 followed by /PR,</p>

JAM68S11- followed by 345, 350, 355, 360 or 365 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B)/1000V,
JAM78S30-followed by 575, 580, 585, 590, 595 or 600 followed by /GR,
JAM72S30-followed by 535, 540, 545 or 550 followed by /GR,
JAM66S30-followed by 490, 495, 500 or 505 followed by /GR,
JAM60S30-followed by 445, 450, 455 or 460 followed by /GR,
JAM54S30-followed by 400, 405, 410 or 415 followed by /GR,
JAM78S31-followed by 570, 575, 580, 585 or 590 followed by /GR,
JAM72S31-followed by 530, 535 or 540 followed by /GR,
JAM60S31-followed by 440, 445 or 450 followed by /GR,
JAM54S31-followed by 395, 400 or 405 followed by /GR.
JAM66S31-followed by 485, 490 or 495 followed by /GR,
JAM60S31-followed by 430, 435, 440, 445 or 450 followed by /GR/1000V,
JAM54S31-followed by 390, 395, 400 or 405 followed by /GR/1000V,
JAM54S30-followed by 400, 405 or 410 followed by /MR,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR,
JAM54S30-followed by 400, 405 or 410 followed by /MR/1000V,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR/1000V,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR/1000V.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.


Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	JA Solar New Energy Yangzhou Co., Ltd.
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	No.1, Jianhua Road, Economic Development Zone, 225000 Yangzhou City, Jiangsu Province
Country:	P. R. China	Country:	P. R. China
Contact:	Wang Yongbo	Contact:	Geng Zhonghai
Phone:	+86-21-37181101	Phone:	+86 13222698171
FAX:	+86-21-37181234	FAX:	-
Email:	wangyb@jasolar.com	Email:	gengzh@jasolar.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5019625</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>	
Standard(s):	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p>
	<p>Product: Crystalline Silicon Photovoltaic modules</p>
	<p>Brand Name: </p>
	<p>Models:</p> <p>JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM72S09- followed by 370, 375, 380, 385, 390, 395 or 400 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM72S09- followed by 375, 380 or 385 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM72S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM72S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12- followed by 365, 370, 375, 380 or 385 followed by /PR, JAM60S12- followed by 305, 310, 315 or 320 followed by /PR, JAM78S10- followed by 435, 440, 445, 450 or 455 followed by /MR, JAM6(K)-72-335/4BB/1500V, JAM60S17- followed by 320, 325, or 330 followed by /MR, JAM72S20- followed by 430, 435, 440, 445 , 450, 455, 460, 465 or 470 followed by /MR, JAM60S20- followed by 355, 360, 365, 370 , 375, 380, 385 or 390 followed by /MR, JAM72S30- followed by 530, 535, 540, 545 or 550 followed by /MR, JAM66S30- followed by 490, 495 or 500 followed by /MR, JAM68S11- followed by 355, 360 or 365 followed by /PR,</p>

JAM68S11- followed by 345, 350, 355, 360 or 365 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B)/1000V,
JAM78S30-followed by 575, 580, 585, 590, 595 or 600 followed by /GR,
JAM72S30-followed by 535, 540, 545 or 550 followed by /GR,
JAM66S30-followed by 490, 495, 500 or 505 followed by /GR,
JAM60S30-followed by 445, 450, 455 or 460 followed by /GR,
JAM54S30-followed by 400, 405, 410 or 415 followed by /GR,
JAM78S31-followed by 570, 575, 580, 585 or 590 followed by /GR,
JAM72S31-followed by 530, 535 or 540 followed by /GR,
JAM60S31-followed by 440, 445 or 450 followed by /GR,
JAM54S31-followed by 395, 400 or 405 followed by /GR.
JAM66S31-followed by 485, 490 or 495 followed by /GR,
JAM60S31-followed by 430, 435, 440, 445 or 450 followed by /GR/1000V,
JAM54S31-followed by 390, 395, 400 or 405 followed by /GR/1000V,
JAM54S30-followed by 400, 405 or 410 followed by /MR,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR,
JAM54S30-followed by 400, 405 or 410 followed by /MR/1000V,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR/1000V,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR/1000V.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.


Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	Yiwu JA Solar Technology Co., Ltd.
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	No.165, Tongze Road, Yiting Town, 322000 Yiwu City, Zhejiang Province
Country:	P. R. China	Country:	P. R. China
Contact:	Wang Yongbo	Contact:	Hou Ke
Phone:	+86-21-37181101	Phone:	+86 18715606063
FAX:	+86-21-37181234	FAX:	-
Email:	wangyb@jasolar.com	Email:	houke@jasolar.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5020726</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>	
Standard(s):	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p>
	<p>Product: Crystalline Silicon Photovoltaic modules</p>
	<p>Brand Name: </p>
	<p>Models:</p> <p>JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM72S09- followed by 370, 375, 380, 385, 390, 395 or 400 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM72S09- followed by 375, 380 or 385 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM72S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM72S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12- followed by 365, 370, 375, 380 or 385 followed by /PR, JAM60S12- followed by 305, 310, 315 or 320 followed by /PR, JAM78S10- followed by 435, 440, 445, 450 or 455 followed by /MR, JAM6(K)-72-335/4BB/1500V, JAM60S17- followed by 320, 325, or 330 followed by /MR, JAM72S20- followed by 430, 435, 440, 445 , 450, 455, 460, 465 or 470 followed by /MR, JAM60S20- followed by 355, 360, 365, 370 , 375, 380, 385 or 390 followed by /MR, JAM72S30- followed by 530, 535, 540, 545 or 550 followed by /MR, JAM66S30- followed by 490, 495 or 500 followed by /MR, JAM68S11- followed by 355, 360 or 365 followed by /PR,</p>

JAM68S11- followed by 345, 350, 355, 360 or 365 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B)/1000V,
JAM78S30-followed by 575, 580, 585, 590, 595 or 600 followed by /GR,
JAM72S30-followed by 535, 540, 545 or 550 followed by /GR,
JAM66S30-followed by 490, 495, 500 or 505 followed by /GR,
JAM60S30-followed by 445, 450, 455 or 460 followed by /GR,
JAM54S30-followed by 400, 405, 410 or 415 followed by /GR,
JAM78S31-followed by 570, 575, 580, 585 or 590 followed by /GR,
JAM72S31-followed by 530, 535 or 540 followed by /GR,
JAM60S31-followed by 440, 445 or 450 followed by /GR,
JAM54S31-followed by 395, 400 or 405 followed by /GR.
JAM66S31-followed by 485, 490 or 495 followed by /GR,
JAM60S31-followed by 430, 435, 440, 445 or 450 followed by /GR/1000V,
JAM54S31-followed by 390, 395, 400 or 405 followed by /GR/1000V,
JAM54S30-followed by 400, 405 or 410 followed by /MR,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR,
JAM54S30-followed by 400, 405 or 410 followed by /MR/1000V,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR/1000V,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR/1000V.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.


Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	JA SOLAR VIET NAM COMPANY LIMITED
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	Lot G, Quang Chau industrial zone, Quang Chau commune, Viet Yen dist, Bac Giang province
Country:	P. R. China	Country:	Viet Nam
Contact:	Wang Yongbo	Contact:	Jin Jiakai
Phone:	+86-21-37181101	Phone:	+84 981505280
FAX:	+86-21-37181234	FAX:	-
Email:	wangyb@jasolar.com	Email:	jinjiakai@jasolar.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5020189</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>	
Standard(s):	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p>
	<p>Product: Crystalline Silicon Photovoltaic modules</p>
	<p>Brand Name: </p>
	<p>Models:</p> <p>JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM72S09- followed by 370, 375, 380, 385, 390, 395 or 400 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM72S09- followed by 375, 380 or 385 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM72S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM72S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12- followed by 365, 370, 375, 380 or 385 followed by /PR, JAM60S12- followed by 305, 310, 315 or 320 followed by /PR, JAM78S10- followed by 435, 440, 445, 450 or 455 followed by /MR, JAM6(K)-72-335/4BB/1500V, JAM60S17- followed by 320, 325, or 330 followed by /MR, JAM72S20- followed by 430, 435, 440, 445 , 450, 455, 460, 465 or 470 followed by /MR, JAM60S20- followed by 355, 360, 365, 370 , 375, 380, 385 or 390 followed by /MR, JAM72S30- followed by 530, 535, 540, 545 or 550 followed by /MR, JAM66S30- followed by 490, 495 or 500 followed by /MR, JAM68S11- followed by 355, 360 or 365 followed by /PR,</p>

JAM68S11- followed by 345, 350, 355, 360 or 365 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B),
JAM76S11- followed by 395, 400 , 405, 410 or 415 followed by /PR(B)/1000V,
JAM78S30-followed by 575, 580, 585, 590, 595 or 600 followed by /GR,
JAM72S30-followed by 535, 540, 545 or 550 followed by /GR,
JAM66S30-followed by 490, 495, 500 or 505 followed by /GR,
JAM60S30-followed by 445, 450, 455 or 460 followed by /GR,
JAM54S30-followed by 400, 405, 410 or 415 followed by /GR,
JAM78S31-followed by 570, 575, 580, 585 or 590 followed by /GR,
JAM72S31-followed by 530, 535 or 540 followed by /GR,
JAM60S31-followed by 440, 445 or 450 followed by /GR,
JAM54S31-followed by 395, 400 or 405 followed by /GR.
JAM66S31-followed by 485, 490 or 495 followed by /GR,
JAM60S31-followed by 430, 435, 440, 445 or 450 followed by /GR/1000V,
JAM54S31-followed by 390, 395, 400 or 405 followed by /GR/1000V,
JAM54S30-followed by 400, 405 or 410 followed by /MR,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR,
JAM54S30-followed by 400, 405 or 410 followed by /MR/1000V,
JAM72S31-followed by 510, 515, 520, 525, 530, 535, 540 or 545 followed by /MR/1000V,
JAM54S31-followed by 385, 390, 395, 400 or 405 followed by /MR/1000V.